

Amended claims under PCT Article 34-  
Pages 58 through 78 in specification to be  
substituted "page-for-page".

1. A recording apparatus comprising:

5            a file generating section for receiving video data including a plurality of video unit data each representing a video and audio data related to the video data, generating a video data file by providing a plurality of video specific data to the plurality of video unit data, the plurality of video specific data for identifying the plurality of video unit data, and generating an audio data file by providing audio specific data to the audio data, the audio specific data for identifying the audio data;

10            a dividing section for receiving the video data file and the audio data file, dividing the video data file into a plurality of video data elements, and dividing the audio data file into a plurality of audio data elements related to the plurality of video data elements, wherein an i-th (i is an integer) video data element of the plurality of video data elements includes a predetermined number of video unit data of the plurality of video unit data;

15            a arranging section for arranging the i-th video data element and an i-th audio data element related to the i-th video data element among the plurality of audio data elements such that the i-th audio data element and the i-th video data element are recorded within a predetermined recording unit; and

20            a recording section for recording the arranged i-th video data element and the arranged i-th audio data element.

on an information recording medium.

2. A recording apparatus according to claim 1, wherein,  
an I-th (I is an integer) video specific data for  
5 identifying the I-th video unit data of the plurality of  
video unit data among the plurality of video specific data  
is provided to the I-th video unit data, and  
the file generating section provides filler data and  
filler data specific data to the I-th video unit data, the  
10 filler data specific data for identifying the filler data,  
and  
a total size of the sum of the I-th video unit data,  
the I-th video specific data, the filler data and the filler  
data specific data is equal to an integer multiple the size  
15 of a sector unit of the information recording medium.
3. A recording apparatus according to claim 1, wherein  
a header area is provided on the information recording  
medium, and  
20 the arranging section outputs the audio specific data  
to the recording section such that the audio specific data  
is recorded in the header area.
4. A recording apparatus according to claim 1, wherein  
25 the file generating section further receives  
metadata related to the video data and the audio data, and  
further generates a metadata file by providing metadata  
specific data to the metadata, the metadata specific data  
for identifying the metadata,  
30 the dividing section divides the metadata file into  
a plurality of metadata elements related to the plurality  
of video data elements, and  
the arranging section arranges an i-th metadata

element related to the i-th video data element among the plurality of metadata elements and the i-th audio data element such that they are arranged ahead of the i-th video data element within the predetermined recording unit.

5

5. A recording apparatus according to claim 4, wherein, the file generating section further receives auxiliary data including compressed video data which has been compressed at a higher compressibility than the video data, further generates an auxiliary data file by providing auxiliary data specific data to the auxiliary data, the auxiliary data specific data for identifying the auxiliary data,

10 the dividing section divides the auxiliary data file into a plurality of auxiliary data elements related to the plurality of video data elements, and

15 the arranging section arranges an i-th auxiliary data element related to the i-th video data element among the plurality of auxiliary data elements and the i-th metadata element such that they are adjacent to each other within the predetermined recording unit.

20 6. A recording apparatus according to claim 5, wherein the i-th auxiliary data element further includes compressed audio data which has been compressed at a higher compressibility than the video unit data.

25 7. A recording apparatus according to claim 5, wherein the arranging section arranges the i-th auxiliary data element ahead of the i-th video data element.

30 8. A recording apparatus according to claim 5, wherein the arranging section arranges the auxiliary data element ahead

of the metadata element, the audio data element and the video data element.

9. A recording apparatus according to claim 1, wherein  
5           the file generating section further receives auxiliary data including compressed video data which has been compressed at a higher compressibility than the video data, and further generates an auxiliary data file by providing auxiliary data specific data to the auxiliary data,  
10          the auxiliary data specific data for identifying the auxiliary data,

              the dividing section divides the auxiliary data file into a plurality of auxiliary data elements related to the plurality of video data elements,

15          an i-th auxiliary data element of the plurality of auxiliary data elements is related to the i-th video data element,

20          the dividing section specifies a position in the video data file corresponding to a head of the i-th auxiliary data element, and

25          the dividing section divides the video data file such that a position, which is ahead of the specified position and which is spaced from the specified position by an integer multiple the size of an ECC block unit of the information recording medium, is a head of the i-th video data element.

10. A recording apparatus according to claim 1, wherein  
30          the file generating section further receives metadata related to the video data and the audio data, and further generates a metadata file by providing metadata specific data to the metadata, the metadata specific data for identifying the metadata,

              the dividing section divides the metadata file into

a plurality of metadata elements related to the plurality of video data elements.

an i-th metadata element of the plurality of metadata elements is related to the i-th video data element,

5 the dividing section specifies a position in the metadata file corresponding to a head of the i-th video data element, and

10 the dividing section divides the metadata file such that a position, which is behind the specified position and which is spaced from the specified position by an integer multiple the size of an ECC block unit of the information recording medium, is a head of the i-th metadata element.

11. A recording apparatus according to claim 1, wherein  
15 the dividing section specifies a position in the audio data file corresponding to a head of the i-th video data element, and

20 the dividing section divides the audio data file such that a position, which is behind the specified position and which is spaced from the specified position by an integer multiple the size of the ECC block unit of the information recording medium, is a head of the i-th audio data element.

12. A recording apparatus according to claim 1, wherein  
25 when there exists a defective area on the information recording medium, the arranging section arranges rearrangement data for forming a rearrangement area used to rearrange predetermined data depending on the defective area, as well as the i-th video data element and the i-th audio data element, such that the rearrangement data is recorded within the predetermined recording unit.

13. A recording apparatus according to claim 1, wherein

when there exists a defective area on the information recording medium, the arranging section arranges shift data for forming a shift area used to shift predetermined data depending on the defective area, as well as the i-th video data element and the i-th audio data element, such that the shift data is recorded within the predetermined recording unit.

14. An information recording medium comprising:  
10           video unit data representing a video;  
              video specific data for identifying the video unit  
              data;  
              filler data provided to the video unit data; and  
              filler data specific data for identifying the filler  
15        data,

wherein a total size of the sum of the video unit data, the video specific data, the filler data and the filler data specific data is equal to an integer multiple the size of a sector unit of the information recording medium.

20           15. (Deleted)

16. An information recording medium comprising:  
25           a video data element including video unit data  
              representing a video;  
              a metadata element related to the video data element;  
              and  
              an audio data element related to the video data  
              element,  
30           wherein the metadata element and the audio data  
              element are arranged ahead of the video data element within  
              a predetermined recording unit.

17. An information recording medium according to claim 16, wherein

the information recording medium further includes an auxiliary data element including compressed video data which has been compressed at a higher compressibility than the video unit data, the auxiliary data element being related to the video data element, and

10 the metadata element and the auxiliary data element are arranged such that they are adjacent to each other within the predetermined recording unit.

18. An information recording medium according to claim 17, wherein the auxiliary data element further includes compressed audio data which has been compressed at a higher compressibility than the video unit data.

19. An information recording medium according to claim 17, wherein the auxiliary data element is arranged ahead of the video data element.

20 20. An information recording medium according to claim 17, wherein the auxiliary data element is arranged ahead of the metadata element, the audio data element and the video data element.

25 21. An information recording medium comprising:  
a plurality of video data elements obtained by dividing a video data file including a plurality of video unit data, each of the plurality of video unit data representing a video; and

30 a plurality of auxiliary data elements, each of the plurality of auxiliary data elements including compressed video data which has been compressed at a higher com-

pressibility than the plurality of video unit data, the plurality of auxiliary data elements being related to the plurality of video data elements,

5 wherein an i-th (i is an integer) video data element of the plurality of video data elements is related to an i-th auxiliary data element of the plurality of auxiliary data elements, and

10 a position in the video data file, which is ahead of a predetermined position corresponding to a head of the i-th auxiliary data element and which is spaced from the predetermined position by an integer multiple the size of an ECC block unit of the information recording medium, is a head of the i-th video data element.

15 22. An information recording medium comprising:  
a plurality of video data elements including video data; and

a plurality of metadata elements obtained by dividing a metadata file including metadata related to the video data;

20 wherein an i-th (i is an integer) video data element of the plurality of video data elements is related to an i-th metadata element of the plurality of metadata elements, and

25 a position in the metadata file, which is behind a predetermined position corresponding to a head of the i-th video data element and which is spaced from the predetermined position by an integer multiple the size of an ECC block unit of the information recording medium, is a head of the i-th metadata element.

30 23. An information recording medium comprising:  
a plurality of video data elements including video data; and

a plurality of audio data elements obtained by dividing an audio data file including audio data related to the video data,

5 wherein an i-th (i is an integer) video data element of the plurality of video data elements is related to an i-th audio data element of the plurality of audio data elements,

10 a position in the audio data file, which is behind a predetermined position corresponding to a head of the i-th video data element and which is spaced from the predetermined position by an integer multiple the size of an ECC block unit of the information recording medium, is a head of the i-th audio data element.

15 24. An information recording medium comprising:

a video data element including a plurality of video unit data, each of the plurality of video unit data representing a video; and

20 an audio data element related to the video data element,

wherein the information recording medium further comprises a rearrangement area,

25 when there exists a defective area on the information recording medium, the rearrangement area is used to rearrange predetermined data depending on the defective area.

25. An information recording medium comprising:

a video data element including a plurality of video unit data, each of the plurality of video unit data representing a video; and

30 an audio data element related to the video data element,

wherein the information recording medium further

comprises a shift area.

when there exists a defective area on the information recording medium, the shift area is used to shift predetermined data depending on the defective area.

5

26. An information recording medium according to claim 25, wherein the predetermined data is the video data element.

27. A recording method comprising the step of:

10 receiving video data including a plurality of video unit data each representing a video and audio data related to the video data, generating a video data file by providing a plurality of video specific data to the plurality of video unit data, the plurality of video specific data for identifying the plurality of video unit data, and generating  
15 identifying the plurality of video unit data, and generating an audio data file by providing audio specific data to the audio data, the audio specific data for identifying the audio data;

20 receiving the video data file and the audio data file, dividing the video data file into a plurality of video data elements, and dividing the audio data file into a plurality of audio data elements related to the plurality of video data elements, wherein an i-th (i is an integer) video data element of the plurality of video data elements includes  
25 a predetermined number of video unit data of the plurality of video unit data;

30 arranging the i-th video data element and an i-th audio data element related to the i-th video data element among the plurality of audio data elements such that the i-th audio data element and the i-th video data element are recorded within a predetermined recording unit; and

recording the arranged i-th video data element and the arranged i-th audio data element on an information

recording medium.

28. A recording method according to claim 27, wherein,  
an I-th (I is an integer) video specific data for  
5 identifying the I-th video unit data of the plurality of  
video unit data among the plurality of video specific data  
is provided to the I-th video unit data, and  
the file generating step includes a step of providing  
filler data and filler data specific data to the I-th video  
10 unit data, the filler data specific data for identifying  
the filler data, and  
a total size of the sum of the I-th video unit data,  
the I-th video specific data, the filler data and the filler  
data specific data is equal to an integer multiple the size  
15 of a sector unit of the information recording medium.
29. A recording method according to claim 27, wherein  
a header area is provided on the information recording  
medium, and  
20 the arranging step includes a step of outputting the  
audio specific data to the recording section such that the  
audio specific data is recorded in the header area.
30. A recording method according to claim 27, wherein  
25 the step file generating step includes a step of  
further receiving metadata related to the video data and  
the audio data, and further generating a metadata file by  
providing metadata specific data to the metadata, the  
metadata specific data for identifying the metadata,  
30 the dividing step includes a step of dividing the  
metadata file into a plurality of metadata elements related  
to the plurality of video data elements, and  
the arranging step includes a step of arranging an

i-th metadata element related to the i-th video data element among the plurality of metadata elements and the i-th audio data element such that they are arranged ahead of the i-th video data element within the predetermined recording unit.

5

31. A recording method according to claim 30, wherein, the file generating step includes a step of further receiving auxiliary data including compressed video data which has been compressed at a higher compressibility than the video data, further generating an auxiliary data file by providing auxiliary data specific data to the auxiliary data, the auxiliary data specific data for identifying the auxiliary data,

10 the dividing step includes a step of dividing the auxiliary data file into a plurality of auxiliary data elements related to the plurality of video data elements, and

15 the arranging step includes a step of arranging an i-th auxiliary data element related to the i-th video data element among the plurality of auxiliary data elements and the i-th metadata element such that they are adjacent to each other within the predetermined recording unit.

20 32. A recording method according to claim 31, wherein the i-th auxiliary data element further includes compressed audio data which has been compressed at a higher compressibility than the video unit data.

25 33. A recording method according to claim 31, wherein the arranging step includes a step of arranging the i-th auxiliary data element ahead of the i-th video data element.

30 34. A recording method according to claim 31, wherein the

arranging step includes a step of arranging the auxiliary data element ahead of the metadata element, the audio data element and the video data element.

5       35. A recording method according to claim 27, wherein  
            the file generating step includes a step of further  
            receiving auxiliary data including compressed video data  
            which has been compressed at a higher compressibility than  
10        the video data, and further generating an auxiliary data  
            file by providing auxiliary data specific data to the  
            auxiliary data, the auxiliary data specific data for  
            identifying the auxiliary data,

15        the dividing step includes a step of dividing the  
            auxiliary data file into a plurality of auxiliary data  
            elements related to the plurality of video data elements,  
            an i-th auxiliary data element of the plurality of  
            auxiliary data elements is related to the i-th video data  
            element,

20        the dividing step includes a step of specifying a  
            position in the video data file corresponding to a head of  
            the i-th auxiliary data element, and

25        the dividing step includes a step of dividing the  
            video data file such that a position, which is ahead of the  
            specified position and which is spaced from the specified  
            position by an integer multiple the size of an ECC block  
            unit of the information recording medium, is a head of the  
            i-th video data element.

30       36. A recording method according to claim 27, wherein  
            the file generating step includes a step of further  
            receiving metadata related to the video data and the audio  
            data, and further generating a metadata file by providing  
            metadata specific data to the metadata, the metadata specific

data for identifying the metadata,

the dividing step includes a step of dividing the metadata file into a plurality of metadata elements related to the plurality of video data elements,

5           an i-th metadata element of the plurality of metadata elements is related to the i-th video data element,

the dividing step includes a step of specifying a position in the metadata file corresponding to a head of the i-th video data element, and

10           the dividing step includes a step of dividing the metadata file such that a position, which is behind the specified position and which is spaced from the specified position by an integer multiple the size of an ECC block unit of the information recording medium, is a head of the i-th metadata element.

37. A recording method according to claim 27, wherein

20           the dividing step includes a step of specifying a position in the audio data file corresponding to a head of the i-th video data element, and

25           the dividing step includes a step of dividing the audio data file such that a position, which is behind the specified position and which is spaced from the specified position by an integer multiple the size of the ECC block unit of the information recording medium, is a head of the i-th audio data element.

38. A recording method according to claim 27, wherein

30           when there exists a defective area on the information recording medium, the arranging step further includes a step of arranging rearrangement data for forming a rearrangement area used to rearrange predetermined data depending on the defective area, as well as the i-th video data element and

the i-th audio data element, such that the rearrangement data is recorded within the predetermined recording unit.

39. A recording method according to claim 27, wherein  
5           when there exists a defective area on the information recording medium, the arranging step further includes a step of arranging shift data for forming a shift area used to shift predetermined data depending on the defective area, as well as the i-th video data element and the i-th audio data element, such that the shift data is recorded within  
10           the predetermined recording unit.

40. A recording apparatus comprising:

15           a file generating section for receiving a first contents data including a plurality of contents unit data each representing at least a part of first contents and a second contents data related to the first contents data, generating a first contents data file by providing a plurality of first contents specific data to the plurality of the contents unit data, the plurality of first contents specific data for identifying the plurality of contents unit data, and generating a second contents data file by providing second contents specific data to the second contents data, the second contents specific data for identifying the second contents data;  
20  
25

30           a dividing section for receiving the first contents data file and the second contents data file, dividing the first contents data file into a plurality of first contents data elements, and dividing the second contents data file into a plurality of second contents data elements related to the plurality of first contents data element, wherein an i-th (i is an integer) first contents data element of the plurality of first contents data elements includes a

predetermined number of contents unit data of the plurality of contents unit data;

5           an arranging section for arranging the i-th first contents data element and an i-th second contents data element related to the i-th first contents data element among the plurality of the second contents data elements such that the i-th second contents data element and the i-th first contents data element are recorded within a predetermined recording unit; and

10           a recording section for recording the arranged i-th first contents data element and the arranged i-th second contents data element on the information recording medium.

41. A recording apparatus according to claim 40, wherein  
15           an I-th (I is an integer) first contents specific data for identifying the I-th contents unit data of the plurality of contents unit data among the plurality of first contents specific data is provided to the I-th contents unit data,

20           the file generating section provides filler data and filler data specific data to the I-th contents unit data, the filler data specific data for identifying the filler data, and

25           a total size of the sum of the I-th contents unit data, the I-th first contents specific data, the filler data and the filler data specific data is equal to an integer multiple the size of a sector unit of the information recording medium.

30           42. A recording apparatus according to claim 41, wherein the first contents is one of a video and an audio.

43. A recording apparatus according to claim 41, wherein

the I-th first contents specific data includes first key data which identifies a type of the I-th contents unit data and first length data which indicates a length of the I-th contents unit data, and

5           the filler data specific data includes second key data which identifies a type of the filler data and second length data which indicates a length of the filler data.

10          44. A recording apparatus according to claim 43, wherein the first contents is one of a video and an audio.

45. A recording apparatus according to claim 40, wherein a header area is provided on the information recording medium, and

15          the arranging section outputs the second contents specific data to the recording section such that the second contents specific data is recorded in the header area.

20          46. A recording apparatus according to claim 45, wherein the second content is one of a video and an audio.

25          47. A recording apparatus according to claim 45, wherein the second contents specific data includes key data which identifies a type of the second contents data and length data which indicates a length of the second contents data.

48. A recording apparatus according to claim 47, wherein the second contents is one of a video and an audio.

30          49. An information recording medium comprising:  
                 contents unit data representing at least a part of  
                 contents;  
                 contents specific data for identifying the contents

unit data;

filler data provided to the contents unit data; and  
filler data specific data for identifying the filler  
data,

5 wherein a total size of the sum of the contents unit  
data, the contents specific data, the filler data and the  
filler data specific data is equal to an integer multiple  
the size of a sector unit of the information recording medium.

10 50. An information recording medium according to claim 49,  
wherein the contents is one of a video and an audio.

51. An information recording medium according to claim 49,  
wherein

15 the contents specific data includes first key data  
which identifies a type of the contents unit data and first  
length data which indicates a length of the contents unit  
data, and

20 the filler data specific data includes second key  
data which identifies a type of the filler data and second  
length data which indicates a length of the filler data.

52. An information recording medium according to claim 51,  
wherein the contents is one of a video and an audio.

25 53. An information recording medium on which a header area  
is provided, comprising:

contents data representing at least a part of  
contents; and

30 contents specific data for identifying the contents  
data,

wherein the contents specific data includes key data  
which identifies a type of the contents data and length data

which indicates a length of the contents data, and the contents specific data is recorded in the header area.

54. (Deleted)

5

55. (Deleted)

56. An information recording medium according to claim [55] 53, wherein the contents is one of a video and an audio.

10

57. A recording method comprising the steps of:

receiving a first contents data including a plurality of contents unit data each representing at least a part of first contents and a second contents data related to the first contents data, generating a first contents data file by providing a plurality of first contents specific data to the plurality of the contents unit data, the plurality of first contents specific data for identifying the plurality of contents unit data, and generating a second contents data file by providing second contents specific data to the second contents data, the second contents specific data for identifying the second contents data;

receiving the first contents data file and the second contents data file, dividing the first contents data file into a plurality of first contents data elements, and dividing the second contents data file into a plurality of second contents data elements related to the plurality of first contents data element, wherein an i-th (i is an integer) first contents data element of the plurality of first contents data elements includes a predetermined number of contents unit data of the plurality of contents unit data;

arranging the i-th first contents data element and an i-th second contents data element related to the i-th

first contents data element among the plurality of the second contents data elements such that the i-th second contents data element and the i-th first contents data element are recorded within a predetermined recording unit; and

5 recording the arranged i-th first contents data element and the arranged i-th second contents data element on the information recording medium.

58. A recording method according to claim 57, wherein  
10 an I-th (I is an integer) first contents specific data for identifying the I-th contents unit data of the plurality of contents unit data among the plurality of first contents specific data is provided to the I-th contents unit data,

15 the file generating step includes a step of providing filler data and filler data specific data to the I-th contents unit data, the filler data specific data for identifying the filler data, and

20 a total size of the sum of the I-th contents unit data, the I-th first contents specific data, the filler data and the filler data specific data is equal to an integer multiple the size of a sector unit of the information recording medium.

25 59. A recording method according to claim 58, wherein the first contents is one of a video and an audio.

60. A recording method according to claim 58, wherein  
30 the I-th first contents specific data includes first key data which identifies a type of the I-th contents unit data and first length data which indicates a length of the I-th contents unit data, and

the filler data specific data includes second key

data which identifies a type of the filler data and second length data which indicates a length of the filler data.

5        61. A recording method according to claim 60, wherein the first contents is one of a video and an audio.

10      62. A recording method according to claim 57, wherein a header area is provided on the information recording medium, and  
                the arranging step includes a step of outputting the second contents specific data to the recording section such that the second contents specific data is recorded in the header area.

15      63. A recording method according to claim 62, wherein the second content is one of a video and an audio.

20      64. A recording method according to claim 62, wherein the second contents specific data includes key data which identifies a type of the second contents data and length data which indicates a length of the second contents data.

65. A recording method according to claim 64, wherein the second contents is one of a video and an audio.